mason grogan MEDICAL
MATERIALS • KNOWLEDGE • PERFORMANCE

capron PODOLOGIE N°1 Français de la Podologie

STREAMLINED MANUFACTURE

Assessment to custom device in minutes!

1 → **MODULE SELECTION**
Wide choice for specific needs and pathologies

ASSESSMENT
LED Podobaroscope

2

3 → **ASSESSMENT**
Dynamic or Static Acquisition

CAPTURING
Foot imprint

4

5 → **PREHEATING MODULE**

DIRECT THERMOFORMING

6

7 → **FINISHED**
Thermoformed device

APPLICATIONS

BASICS

CLASSICS

PATHOLOGIES

SPORT

PODOBAROSCOPE

HIGHLIGHTS

- Thin, sleek design
- Green Led Light for optimum brightness of the foot print

SPECIFICATIONS

- 24 V Green Led Light
- Very bright foot prints
- Wide viewing space
- PMMA thickness: 15 mm
- PMMA base
- Product weight: 8.2 kg
- Maximum weight capacity: 140 kg

Capron Podobaroscope is an innovative, pressure sensing static device. Featuring tangential LED lighting for visual assessment, it has been designed for immediate, easy diagnosis of pressure and quick offloading determination.

DIMENSIONS



FEET PRINT 2.2

- Simple design, easy to clean
- Positioning marks are included
- Bag hardness is quick to adjust
- Suitable for large sizes
- Easy correction of the imprint
- Wireless remote control

VITROPRESS 2

- Vitropress 2 is a vacuum heating and thermoforming device for use with the Feet Print 2.1 & 2.2 machines to produce thermoformed modules

- Modules that comprise pre-cut, pre-adhesed materials, are placed in the Vitropress 2 and heated in preparation for thermoforming directly under the patient's feet

- Through the combined action of vacuum and heating the Vitropress 2 can be used to thermoseal (combine) a variety of your chosen materials together or for the production of proprioceptive orthotics. A variety of pre-adhesed and thermoweld materials are available, removing the need for messy gluing

DIRECT MOULDING CUSTOM ORTHOTIC SYSTEM

Advanced technical materials and equipment to produce in-clinic custom orthoses

- **No casting**
- **No plaster**
- **No computers**
- **No grinding**
- **No mess**
- **Superior application matched orthotics**

The system consists of:

Feet Print direct impression system	Available with one, two or extra large impression bags; with or without support stand.
Vitropress 2	Heating press with integrated vacuum.
Modules	An extensive range to meet a wide variety of applications.

Assessment

A range of examination equipment is also available:

Podobaroscope	LED footprint viewer.
Sigma	Pressure distribution platform for static / dynamic and posturological data.
Visio+	2D digital scanner.
Podostat 6	Patient management software, which utilises data from Sigma & Visio+.

This is a precise, quick and low cost solution, allowing control of all aspects of device design: shape, materials used, positioning and pressure distributions. The module materials feature the latest technology and have been specifically developed to address a wide range of requirements and applications.

Further information

Call Jeff McCreanor on: +61 2 9364 1709.
In-clinic training and demonstrations can be arranged if required.

1300 859 960
salesmg@grogangroup.com
mason grogan MEDICAL
MATERIALS • KNOWLEDGE • PERFORMANCE
www.grogangroup.com